

1 2 3 4 5 6 7 8

Rev No.	Description	Date	Name


Focusing adjustment system

Locking screw

$\phi 75 \text{ h8 } -0,046$
Clamping diameter

$\phi 75 \text{ h8 } -0,046$
Clamping diameter

11,48
Flange distance



D
C
B
A

D
C
B
A

Material	N.A.			Mass	g	Scale	1:1
Surface treatment	N.A.			Part No.	CO71562		
Geometrical tolerance (ISO 2768-2)			Class	K	Undimensioned bevels	0,5x45°	
Linear tolerance (ISO 2768-2)			Class	m	Undimensioned radii	R 0.5	
0.5	>3	>6	>30	>120	>400	>1000	>2000
± 3	± 6	± 30	± 120	± 400	± 1000	± 2000	± 4000
± 0.1	± 0.1	± 0.2	± 0.3	± 0.5	± 0.8	± 1.2	± 2
 OPTO ENGINEERING THE TELECENTRIC COMPANY			Date	Name	Drawing No.		Sheet
			Designed	18/06/2014	Santini	DP 71562-A	1/1
			Drawn	18/06/2014	Rodella		
all dimensions are in mm OPTO ENGINEERING S.r.l. - Mantova Italy - Tel. +39 0376 699111 - www.opto-engineering.com			Secret and confidential - All rights reserved - No copy, dissemination or circulation is allowed unless specifically authorized in writing by OPTO ENGINEERING S.r.l. - Any violation shall be legally prosecuted.				

1 2 3 4 5 6 7 8

0 1 2 3 4 5 6 7 8 9 10